Author Index

AARDEN L.A. *see* VAN LIER R.A.W.
ACEVEDO A. *see* SÁNCHEZ-MATEOS P.
AGGER R. *see* RHODES J.M.
ALTMEYER P. *see* PFEIL T.
ANDERSON A.O. *see* LARSEN C.G.
ANDERSSON R.G. *see* PAPADOGIANNAKIS N.
ANDRIS F., LEO O., VAN MECHELEN M., URBAIN J. & SLAOUI M. CD4-Ia interactions can occur in the absence of T-cell receptor/antigen-Ia recognition, 1
ANSTEE D.J. *see* GARDNER B.
ARINIELLO P.D. *see* KLEINMAN R.E.
ASENSI V., KIMENO K., KAWAMURA I., SAKUMOTO M. & NOMOTO K. Treatment of autoimmune MRL/*lpr* mice with anti-B220 monoclonal antibody reduces the level of anti-DNA antibodies and lymphadenopathies, 204
ASKENASE P.W. *see* GARSSEN J.

BALFOUR B.M. *see* RHODES J.M.
BANDYOPADHYAY S. *see* CHEHIMI J.
BARFOOT R., DENHAM, S., GYURE L.A., HALL J.G., HOBBS S.M., JACKSON L.E. & ROBERTSON D. Some properties of dendritic macrophages from peripheral lymph, 233
BARKER S. *see* HEWISON M.
BARNES P.J. *see* YUKAWA T.
BAXT B. *see* GARMENDIA A.E.
BELL E.B., SPARSHOTT S.M., DRAYSON M.T. & HUNT S.V. The origin of T cells in permanently reconstituted old athymic nude rats. Analysis using chromosomes or allotype markers, 547
BELLIO M. & DOS REIS G.A. Triggering of thymocyte function by IL-2 as the only exogenous stimulus; analysis of two distinct modes of IL-2-induced thymocyte proliferation and IL-3 secretion *in vitro*, 175
BENZIE C.R. *see* WALLISER P.
BETTS W.H. *see* WOZNIAK A.
BEYA M.-F. *see* HEIN W.R.
BIGGERSTAFF J. *see* LIMB G.A.
BINNS R.M. *see* DUNCAN I.A.
BISWAS *see* MAGGI E.
BLACK C.M., ISRAELSKI D.M., SUZUKI Y. & REMINGTON J.S. Effect of recombinant tumour necrosis factor on acute infection in mice with *Toxoplasma gondii* or *Trypanosoma cruzi*, 570
BLAND P.W. & WHITING C.V. Antigen processing by isolated rat inestinal villus enterocytes, 497
BLOCH K.J. *see* KLEINMAN R.E.
BLOM J. *see* RHODES J.M.
BOERSMA W.J.A., DEEN C., HAAIJMAN J.J., RADL J. & CLAASSEN E. Antibodies to a short synthetic peptide related to the hinge segment of human IgG3 recognizes thermally or fixative induced conformational changes in the human IgG3 molecule, 427
BORREBAECK C.A.K. *see* OHLIN M.
BOS J.D. *see* VAN DER POUW KRAAN T.T.M.
BOYLE W. *see* NASH A.D.
BOYLSTON A.W. *see* TREJDOSIEWICZ L.K.
BRENNAN A. *see* HEWISON M.
BROLIDEN P.-A. *see* OHLIN M.
BROM C., KÖLLER M., BROM J. & KÖNIG W. Effect of sodium fluoride on the generation of lipoxygenase products from human polumorphonuclear granulocytes, mononuclear cells and platelets—indication for the involvement of G proteins, 240
BROM J. & KÖNIG W. Studies on the uptake, binding and metabolism of leukotriene B_4 by human neutrophils, 479
BROM J. *see* BROM C.
BROUWER M. *see* VAN LIER R.A.W.
BROWN K.A. *see* LIMB G.A.
BROWN M. *see* KLEINMAN R.E.
BUJANOWSKI-WEBER J. *see* KICZA K.
BUJANOWSKI-WEBER J. *see* PFEIL T.
BURSTYN D. *see* MOYNIHAN J.
BURTON G.F. *see* KOSCO M.H.
BUTS J.P. *see* VAERMAN J.P.
BUTTKE T.M. *see* YANG M.-C.W.

CAHILL R.N.P. *see* KIMPTON W.G.
CAMPANA D. *see* TREJDOSIEWICZ L.K.
CARLSTEN H., HOLMDAHL R., TARKOWSKI A. & NILSSON L.-A. Oestradiol- and testosterone-mediated effects on the immune system in normal and autoimmune mice are genetically linked and inherited as dominant traits, 209
CEBRIÁN M. *see* SÁNCHEZ-MATEOS P.
CHAIN B. *see* MARCINKIEWICZ J.
CHAN W.-L., TIZARD M.L.V. & FAULKNER L. Proliferative T-cell response to glycoprotein B of the human herpes virus: the influence of MHC and sequence of infection on the pattern of cross-reactivity, 96
CHEHIMI J., STARR S.E., KAWASHIMA H., MILLER D.S., TRINCHIERI G., PERUSSIA B. & BANDYPADHYAY S. Dendritic cells and IFN-α-producing cells are two functionally distinct non-B, non-monocytic HLA-DR$^+$ cell subsets in human peripheral blood, 486
CHEN W.-E. *see* HANADA K.
CHUNG K.F. *see* YUKAWA T.
CLAASSEN E. *see* BOERSMA W.J.A.
CLEM L.W. *see* YANG M.-C.W.
COLLINS J. *see* SHEN L.
CUFF C.F., PACKER B.J. & ROGERS T.J. A further characterization of *Candida albicans*-induced suppressor B-cell activity, 80
CUZNER M.L. *see* WOODROOFE M.N.

DANIELSSON L. *see* OHLIN M.
DARJI A. *see* SILEGHEM M.
DAVIS D. & GREGORIADIS G. Primary immune response to liposomal tetanus toxoid in mice: the effect of mediators, 80
DAYER J.M. *see* GRAU G.E.
DE BAETSELIER P. *see* SILEGHEM M.
DEEN C. *see* BOERSMA W.J.A.
DE KOSSODO S. *see* KIMOTO M.
DE LÁNDAZURI M.O. *see* SÁNCHEZ-MATEOS P.
DEL PRETE G.F. *see* MAGGI E.
DENHAM S. *see* BARFOOT R.
DETRAZ M. *see* KIMOTO M.
DOBASHI K. *see* ISHIHARA K.
DORNAND J. & GERBER M. Inhibition of murine T-cell responses by antioxidants: the targets of lipo-oxygenase inhibitors, 384
DOS REIS G.A. *see* BELLIO M.
DRAYSON M.T. *see* BELL E.B.
DUDLER L. *see* HEIN W.R.
DUFFUS W.P.H. *see* DUNCAN I.A.
DUNCAN I.A., BINNS R.M. & DUFFUS W.P.H. The null T cell in pig blood is not an NK cell, 392

EVANS P. *see* YUKAWA T.

FALK P. *see* STEINIGER B.
FALUS A., KRAMER J., WALCZ E., VARGA Z., SETALO J., JOBST K., LAKATOS T. & MERÉTEY K. Unequal expression of complement C4A and C4B genes in rheumatoid synovial cells, human monocytoid and hepatoma-derived cell lines, 133
FAULKNER L. *see* CHAN W.-L.
FISCHER A. *see* KICZA K.

Author Index

AARDEN L.A. *see* VAN LIER R.A.W.
ACEVEDO A. *see* SÁNCHEZ-MATEOS P.
AGGER R. *see* RHODES J.M.
ALTMEYER P. *see* PFEIL T.
ANDERSON A.O. *see* LARSEN C.G.
ANDERSSON R.G. *see* PAPADOGIANNAKIS N.
ANDRIS F., LEO O., VAN MECHELEN M., URBAIN J. & SLAOUI M. CD4-Ia interactions can occur in the absence of T-cell receptor/antigen-Ia recognition, 1
ANSTEE D.J. *see* GARDNER B.
ARINIELLO P.D. *see* KLEINMAN R.E.
ASENSI V., KIMENO K., KAWAMURA I., SAKUMOTO M. & NOMOTO K. Treatment of autoimmune MRL/*lpr* mice with anti-B220 monoclonal antibody reduces the level of anti-DNA antibodies and lymphadenopathies, 204
ASKENASE P.W. *see* GARSSEN J.

BALFOUR B.M. *see* RHODES J.M.
BANDYOPADHYAY S. *see* CHEHIMI J.
BARFOOT R., DENHAM, S., GYURE L.A., HALL J.G., HOBBS S.M., JACKSON L.E. & ROBERTSON D. Some properties of dendritic macrophages from peripheral lymph, 233
BARKER S. *see* HEWISON M.
BARNES P.J. *see* YUKAWA T.
BAXT B. *see* GARMENDIA A.E.
BELL E.B., SPARSHOTT S.M., DRAYSON M.T. & HUNT S.V. The origin of T cells in permanently reconstituted old athymic nude rats. Analysis using chromosomes or allotype markers, 547
BELLIO M. & DOS REIS G.A. Triggering of thymocyte function by IL-2 as the only exogenous stimulus; analysis of two distinct modes of IL-2-induced thymocyte proliferation and IL-3 secretion *in vitro*, 175
BENZIE C.R. *see* WALLISER P.
BETTS W.H. *see* WOZNIAK A.
BEYA M.-F. *see* HEIN W.R.
BIGGERSTAFF J. *see* LIMB G.A.
BINNS R.M. *see* DUNCAN I.A.
BISWAS *see* MAGGI E.
BLACK C.M., ISRAELSKI D.M., SUZUKI Y. & REMINGTON J.S. Effect of recombinant tumour necrosis factor on acute infection in mice with *Toxoplasma gondii* or *Trypanosoma cruzi*, 570
BLAND P.W. & WHITING C.V. Antigen processing by isolated rat inestinal villus enterocytes, 497
BLOCH K.J. *see* KLEINMAN R.E.
BLOM J. *see* RHODES J.M.
BOERSMA W.J.A., DEEN C., HAAIJMAN J.J., RADL J. & CLAASSEN E. Antibodies to a short synthetic peptide related to the hinge segment of human IgG3 recognizes thermally or fixative induced conformational changes in the human IgG3 molecule, 427
BORREBAECK C.A.K. *see* OHLIN M.
BOS J.D. *see* VAN DER POUW KRAAN T.T.M.
BOYLE W. *see* NASH A.D.
BOYLSTON A.W. *see* TREJDOSIEWICZ L.K.
BRENNAN A. *see* HEWISON M.
BROLIDEN P.-A. *see* OHLIN M.
BROM C., KÖLLER M., BROM J. & KÖNIG W. Effect of sodium fluoride on the generation of lipoxygenase products from human polumorphonuclear granulocytes, mononuclear cells and platelets—indication for the involvement of G proteins, 240
BROM J. & KÖNIG W. Studies on the uptake, binding and metabolism of leukotriene B_4 by human neutrophils, 479
BROM J. *see* BROM C.
BROUWER M. *see* VAN LIER R.A.W.
BROWN K.A. *see* LIMB G.A.
BROWN M. *see* KLEINMAN R.E.
BUJANOWSKI-WEBER J. *see* KICZA K.
BUJANOWSKI-WEBER J. *see* PFEIL T.
BURSTYN D. *see* MOYNIHAN J.
BURTON G.F. *see* KOSCO M.H.
BUTS J.P. *see* VAERMAN J.P.
BUTTKE T.M. *see* YANG M.-C.W.

CAHILL R.N.P. *see* KIMPTON W.G.
CAMPANA D. *see* TREJDOSIEWICZ L.K.
CARLSTEN H., HOLMDAHL R., TARKOWSKI A. & NILSSON L.-A. Oestradiol- and testosterone-mediated effects on the immune system in normal and autoimmune mice are genetically linked and inherited as dominant traits, 209
CEBRIÁN M. *see* SÁNCHEZ-MATEOS P.
CHAIN B. *see* MARCINKIEWICZ J.
CHAN W.-L., TIZARD M.L.V. & FAULKNER L. Proliferative T-cell response to glycoprotein B of the human herpes virus: the influence of MHC and sequence of infection on the pattern of cross-reactivity, 96
CHEHIMI J., STARR S.E., KAWASHIMA H., MILLER D.S., TRINCHIERI G., PERUSSIA B. & BANDYPADHYAY S. Dendritic cells and IFN-α-producing cells are two functionally distinct non-B, non-monocytic HLA-DR$^+$ cell subsets in human peripheral blood, 486
CHEN W.-E. *see* HANADA K.
CHUNG K.F. *see* YUKAWA T.
CLAASSEN E. *see* BOERSMA W.J.A.
CLEM L.W. *see* YANG M.-C.W.
COLLINS J. *see* SHEN L.
CUFF C.F., PACKER B.J. & ROGERS T.J. A further characterization of *Candida albicans*-induced suppressor B-cell activity, 80
CUZNER M.L. *see* WOODROOFE M.N.

DANIELSSON L. *see* OHLIN M.
DARJI A. *see* SILEGHEM M.
DAVIS D. & GREGORIADIS G. Primary immune response to liposomal tetanus toxoid in mice: the effect of mediators, 80
DAYER J.M. *see* GRAU G.E.
DE BAETSELIER P. *see* SILEGHEM M.
DEEN C. *see* BOERSMA W.J.A.
DE KOSSODO S. *see* KIMOTO M.
DE LÁNDAZURI M.O. *see* SÁNCHEZ-MATEOS P.
DEL PRETE G.F. *see* MAGGI E.
DENHAM S. *see* BARFOOT R.
DETRAZ M. *see* KIMOTO M.
DOBASHI K. *see* ISHIHARA K.
DORNAND J. & GERBER M. Inhibition of murine T-cell responses by antioxidants: the targets of lipo-oxygenase inhibitors, 384
DOS REIS G.A. *see* BELLIO M.
DRAYSON M.T. *see* BELL E.B.
DUDLER L. *see* HEIN W.R.
DUFFUS W.P.H. *see* DUNCAN I.A.
DUNCAN I.A., BINNS R.M. & DUFFUS W.P.H. The null T cell in pig blood is not an NK cell, 392

EVANS P. *see* YUKAWA T.

FALK P. *see* STEINIGER B.
FALUS A., KRAMER J., WALCZ E., VARGA Z., SETALO J., JOBST K., LAKATOS T. & MERÉTEY K. Unequal expression of complement C4A and C4B genes in rheumatoid synovial cells, human monocytoid and hepatoma-derived cell lines, 133
FAULKNER L. *see* CHAN W.-L.
FISCHER A. *see* KICZA K.

FISCHER A. *see* PFEIL T.
FOIDART J.B. *see* MALAISE M.G.
FONTENEAU P. *see* JACHEZ B.
FORES-ROMO L. *see* GORDON J.
FOSSUM S. *see* MACPHERSON G.G.
FRAKER P.J. *see* WIRTH J.J.
FRANCHIMONT P. *see* MALAISE M.G.
FREIESLEBEN S.F. *see* SKJØDT H.
FUJITA T. *see* ITO S.
FUKUDA T. *see* YUKAWA T.

GALLAGHER A. *see* POULTON T.A.
GARDNER B., PARSONS S.F., MERRY A.H. & ANSTEE D.J. Epitopes on sialoglycoprotein α: evidence for heterogeneity in the molecule, 283
GARMENDIA A.E., MORGAN D.O. & BAXT B. Foot-and-mouth disease virus-neutralizing antibodies induced in mice by anti-idiotypic antibodies, 265
GARSSEN J., NIJKAMP F.P., WAGENAAR S.S., ZWART A., ASKENASE P.W. & VAN LOVEREN H. Regulation of delayed-type hypersensitivity-like responses in the mouse lung, determined with histological procedures: serotonin, T-cell suppressor-inducer factor and high antigen dose tolerance regulate the magnitude of T-cell dependent inflammatory reactions, 51
GERBER M. *see* DORNAND J.
GILLIS S. *see* GORDON J.
GOETZL E.J. *see* TURCK C.W.
GOFF J.P. *see* KIRSHENBAUM A.S.
GORDON J., MILLSUM M.J., FORES-ROMO L. & GILLIS S. Regulation of resting and cycling human B lymphocytes via surface IgM and the accessory molecules interleukin-4, CD23 and CD40, 526
GOWN A.M. *see* SMALL M.
GRAU G.E., ROUX-LOMBARD P., GYSLER C., LAMBERT C., LAMBERT P.H., DAYER J.M. & GUILLEVIN L. Serum cytokine changes in systemic vasculitis, 196
GREGORIADIS G. *see* DAVIS D.
GUILLEVIN L. *see* GRAU G.E.
GYSLER C. *see* GRAU G.E.
GYURE L.A. *see* BARFOOT R.

HAAIJMAN J.J. *see* BOERSMA W.J.A.
HALL J.G. *see* BARFOOT R.
HAMAOKA T. *see* ISHIHARA K.
HAMERS R. *see* SILEGHEM M.
HANADA K., HOSONO M., HOSOKAWA T., CHEN W.-E., TSUBOYAMA T. & TAKEDA T. Immune responses in newly developed short-lived SAM mice. III. Genetic control of defective helper T-cell activity in *in vitro* primary antibody response, 540
HARMATZ P.R. *see* KLEINMAN R.E.
HARRISON B. *see* MACPHERSON G.G.
HARVEY J., JONES D.B. & WRIGHT D.H. Leucocyte common antigen expression on T cells in normal and inflammed human gut, 13
HATANO M. *see* TANUMA Y.
HATZ R.A. *see* KLEINMAN R.E.
HAWES C.S. *see* NASH A.D.
HAYES G.M. *see* WOODROOFE M.N.
HEIN W.R. & BEYA M.-F. Evidence that the B5 molecule on sheep lymphocytes is a homologue of mouse Ly6 and human CD59, 580
Hein W.R., Dudler L. & Mackay C.R. Surface expression of differentiation antigens on lymphocytes in the ileal and jejunal Peyer's patches of lambs, 365
HENDRIKS H.R., KORN C., MEBIUS R.E. & KRALL G. Interferon-gamma-increased adherence of lymphocytes to high endothelial venules, 221
HEWISON M., BARKER S., BRENNAN A., NATHAN J., KATZ D.R. & O'RIORDAN J.L.H. Autocrine regulation of 1,25-dihydroxycholecalciferol metabolism in myelomonocytic cells, 247
HEYWORTH M.F., HO K.E. & PAPPO J. Generation and characterization of monoclonal antibodies against *Giardia muris* trophozoites, 341
HIJMANS W. *see* LIGTHART G.J.
HIRANO H. *see* ISHIHARA K.
HIRAYAMA F. *see* ISHIHARA K.
HO K.E. *see* HEYWORTH M.F.
HOBBS S.M. *see* BARFOOT R.
HOEBEN K. *see* KRAAL G.
HOSOKAWA T. *see* HANADA K.
HOSONO M. *see* HANADA K.
HOLMDAHL R. *see* CARLSTEN H.
HOWDLE P.D. *see* TREJDOSIEWICZ L.K.
HOYOUX C. *see* MALAISE M.G.
HUBY R.D.J., JANOSSY G. & LAMPERT I.A. Cyclosporin A prevents the *in vivo* development of murine prothymocytes from uncommitted (Thy-1$^-$) precursor cells, 564
HUNT S.V. *see* BELL E.B.

IKEGAMI S. *see* MIENO M.
ISHIHARA K., ONO S., TAKAHAMA Y., HIRAYAMA F., HIRANO H., ITOH K., DOBASHI K., MURAKAMI S., KATOH Y., YAMAGUCHI M. & HAMAOKA T. Different effect of prostaglandin E_2 on B-cell activation by two distinct B-cell differentiation factors, B151–TRF1/IL-5 and B151-TRF2: selective inhibition of B151-TRF2-induced antibody responses through increases in intracellular cyclic AMP levels, 154
ISHII N. & WATANABE K. Analysis of autoantibodies to glycolipids on thymocytes in New Zealand Black mice, 215
ISRAELSKI D.M. *see* BLACK C.M.
ITO S., TAMURA N. & FUJITA T. Effect of decay-accelerating factor on the assembley of the classical and alternative pathway C3 convertases in the presence of C4 or C3 nephritic factor, 449
ITOH K. *see* ISHIHARA K.
IWAI H. *see* YAMAMOTO S.
IZUI S. *see* KIMOTO M.

JACHEZ B., MONTECINO-RODRIGUEZ E., PFLUMIO F., FONTENEAU P. & LOOR F. Lymphoid cell transfers between adult C57BL/6 mice differing at the lpr and/or nu locus. Humoral immunity phenotype of the chimeras, 169
JACKSON L.A. & OPDEBEEK J.P. The effect of antigen concentration and vaccine regimen on the immunity induced by membrane antigens from the midgut of *Boophilus microphus*, 272
JACKSON L.E. *see* BARFOOT R.
JANOSSY G. *see* HUBY R.D.J.
JOBST K. *see* FALUS A.
JOHNSEN S.-A. *see* PAPADOGIANNAKIS N.
JONDAL M. *see* OHLIN M.
JONES D.B. *see* HARVEY J.

KAMEYOSHI Y., MATSUSHITA M. & OKADA H. Murine membrane inhibitor of complement which accelerates decay of human C3 convertase, 439
KAMITANI T., SUZUKI H. & YANO S. Systemic administration of IL-2 induces lymphokine-activated killer (LAK) cells capable of killing macrophages in various tissues, 520
KAPASI Z.F. *see* KOSCO M.H.
KAPSENBERG L. *see* VAN DER POUW KRAAN T.T.M.
KATOH Y. *see* ISHIHARA K.
KATZ D.R. *see* HEWISON M.
KAWAMURA I. *see* ASENSI V.
KAWASHIMA H. *see* CHEHIMI J.
KAY J.E. *see* WALLISER P.
KEMENY D.M. *see* THORPE S.C.
KENNEDY P.W. *see* TURCK C.W.
KICZA K., FISCHER A., PFEIL T., BUJANOWSKI-WEBER J. & KÖNIG W. Cell–cell interactions for CD23 expression and soluble CD23 release from peripheral lymphocytes of atopic donors, 532
KIERSZENBAUM F. *see* WIRTH J.J.
KIMENO K. *see* ASENSI V.
KIMOTO M., DE KOSSODO S., KINDLER V., DETRAZ M., VASSALLI P. & IZUI S. Presence of a very small population of Thy-1$^+$, L3T4$^+$ cells producing large amounts of IL-3 in young athymic nude mice, 557
KIMPTON W.G., WASHINGTON E.A. & CAHILL R.N.P. Recirculation of lymphocyte subsets (CD5$^+$, CD4$^+$, CD8$^+$, T19$^+$ and B cells) through fetal lymph nodes, 575
KINDLER V. *see* KIMOTO M.
KIRSHENBAUM A.S., GOFF J.P. & METCALFE D.D. Human macrophages cultured on agar but not agarose resemble mast cells, 120
KISHIMOTO *see* SUGIYAMA H.

KLEINMAN R.E., HARMATZ P.R., HATZ R.A., BROWN M., ARINIELLO P.D., WALKER W.A. & BLOCH K.J. Divalent hapten-induced intestinal amaphylaxis in the mouse: uptake and characterization of a bystander protein, 464
KÖLLER M. *see* BROM C.
KOMORI T. *see* SUGIYAMA H.
KÖNIG W. *see* BROM C.
KÖNIG W. *see* BROM J.
KÖNIG W. *see* KICZA K.
KÖNIG W. *see* PFEIL T.
KORN C. *see* HENDRIKS H.R.
KOSCO M.H., BURTON G.F., KAPASI Z.F., SZAKAL A.K. & TEW J.G. Antibody-forming cell induction during an early phase of germinal centre development and its delay with ageing, 312
Kraal G., Rodrigues H., Hoeben K. & Van Rooijen N. Lymphocyte migration in the spleen: the effect of macrophage elimination, 227
KRAAL G. *see* HENDRIKS H.R.
KRAMER J. *see* FALUS A.
KROEGEL C. *see* YUKAWA T.
KUMAR S.N., STEWART G.L., STEVEN W.M. & SEELIG L.L. Maternal to neonatal transmission of T-cell mediated immunity to *Trichinella spiralis* during lactation, 87

LAKATOS T. *see* FALUS A.
LAMBERT C. *see* GRAU G.E.
LAMBERT P.H. *see* GRAU G.E.
LAMPERT I.A. *see* HUBY R.D.J.
LARSEN C.G., ANDERSON A.O., OPPENHEIM J.J. & MATSUSHIMA K. Production of interleukin-8 by human dermal fibroblasts and keratinocytes in response to interleukin-1 or tumour necrosis factor, 31
LEE S.-C. *see* LEI H.-Y.
LEI H.-Y. & LEE S.-C. Igh allotype-linked control of immune complex-type hypersensitivity induced by hepatitis B surface antigen, 458
LEO O. *see* ANDRIS F.
LESCOAT G. *see* VAERMAN J.P.
LIGTHART G.J., SCHUIT H.R.E. & HIJMANS W. Natural killer cell function is not diminished in the healthy aged and is proportional to the number of NK cells in the peripheral blood, 396
LIMB G.A., MAEGER A., WOOLLEY J., WADHWA M., BIGGERSTAFF J., BROWN K.A. & WOLSTENCROFT R.A. Release of cytokines during generation of lymphokine-activated killer (LAK) cells by IL-2, 514
LOHMÜLLER M. *see* STEINIGER B.
LOOR F. *see* JACHEZ B.
LÓPEZ-BOTET M. *see* SÁNCHEZ-MATEOS P.
LUTHER H. *see* PFEIL T.
LUZIO J.P. *see* PEREZ J.H.

MACCHIA D. *see* MAGGI E.
MACDONALD A.B. *see* STUART E.S.
MACKAY C.R. *see* HEIN W.R.
MACKIE M.J. *see* MADDY A.H.
MCLENNAN G. *see* WOZNIAK A.
MACPHERSON G.G. Properties of lymph-bourne (veiled) dendritic cells in culture. I. Modulation of phenotype, survival and function: partial dependence on GM-CSF, 102
MACPHERSON G.G., FOSSUM S. & HARRISON B. Properties of lymph-bourne (veiled) dendritic cell in culture: II. Expression of the IL-2 receptor; role of GM-CSF, 108
MADDY A.H., SANDERSON A., MACKIE M.J. & SMITH S.K. The role of cell maturation in the generation of phenotypic heterogeneity in B-cell lymphocytic leukaemia, 346
MAEGER A. *see* LIMB G.A.
MAGGI E., DEL PRETE G.F., PARRONCHI P., TIRI A., MACCHIA D., BISWAS P., SIMONELLI C., RICCI M. & ROMAGNANI S. Role for T cells, IL-2 and IL-6 in the IL-4-dependent *in vitro* human IgE synthesis, 300
MAGNUSON N.S. *see* SIESS D.C.
MAHIEU P.R. *see* MALAISE M.G.
MALAISE M.G., HOYOUX C., FRANCHIMONT P., FOIDART J.B. & MAHIEU P.R. Effects of mannose and mannose derivatives on the clearance of IgG antibody-coated erythrocytes in the rat, 126
MALIZIA G. *see* TREJDOSIEWICZ L.K.
MARCINKIEWICZ J. & CHAIN B. Antigen-specific inhibition of IL-2 and IL-3 production in contact sensitivity to TNP, 185
MATSUSHIMA K. *see* LARSEN C.G.
MATSUSHITA M. *see* KAMEYOSHI Y.
MEBIUS R.E. *see* HENDRIKS H.R.
MÉRETEY K. *see* FALUS A.
MERRY A.H. *see* GARDNER B.
METCALFE D.D. *see* KIRSHENBAUM A.S.
MIENO M., UDONO H., IKEGAMI S., TADA N., SHIKU H. & NAKAYAMA E. Blocking of cytotoxic T-cell function of MOLF/Ei mice by anti-Ly 35.1 monoclonal antibody, 431
MILLER D.S. *see* CHEHIMI J.
MILLER N.W. *see* YANG M.-C.W.
MILLSUM M.J. *see* GORDON J.
MINAMI Y. *see* SUGIYAMA H.
MØLLER T. *see* SKJØDT H.
MONTECINO-RODRIGUEZ E. *see* JACHEZ B.
MORGAN D.O. *see* GARMENDIA A.E.
MOWAT A.MCI. Antibodies to IFN-γ prevent immunologically mediated intestinal damage in murine graft-versus-host reaction, 18
MOYNIHAN J., BURSTYN D. & ZAUDERER M. Autoreactive T-cell response to resting or activated B cells, 199
MULLOCK B.M. *see* PEREZ J.H.
MURAKAMI S. *see* ISHIHARA K.
MURDOCH R.D. *see* THORPE S.C.
MURPHY G.A. *see* WOZNIAK A.

NAKAYAMA E. *see* MIENO M.
NANDA N.K. Preferential restriction of minor alloantigen-specific suppressor T cells to I-E rather than I-A molecules, 163
NASH A.D., UREN S., HAWES C.S. & BOYLE W. Application of a novel immunization protocol to the production of monoclonal antibodies specific for macrophages in human placenta, 332
NATHAN J. *see* HEWISON M.
NIJKAMP F.P. *see* GARSSEN J.
NILSSON L.-A. *see* CARLSTEN H.
NISHIMURA K. & TOKUNAGA T. Mechanism of action of 15-deoxyspergualin. I. Suppressive effect on the induction of alloreactive secondary cytotoxic T lymphocytes *in vivo* and *in vitro*, 66
NOMOTO K. *see* ASENSI V.

OAKES D.J. *see* TREJDOSIEWICZ L.K.
OHI H. *see* TANUMA Y.
OHLIN M., BROLIDEN P.-A., DANIELSON L., WAHREN B., ROSEN J., JONDAL M. & BORREBAECK C.A.K. Human monoclonal antibodies against a recombinant HIV envelope antigen produced by primary *in vitro* immunization. Characterization and epitope mapping, 325
OKADA H. *see* KAMEYOSHI Y.
OLDING L.B. *see* PAPADOGIANNAKIS N.
O'NEILL H. Antibody which defines a subset of bone marrow cells that can migrate to thymus, 59
ONO S. *see* ISHIHARA K.
OPDEBEEK J.P. *see* JACKSON L.A.
OPPENHEIM J.J. *see* LARSEN C.G.
O'RIORDAN J.L.H. *see* HEWISON M.
ORME I.M. Active and memory immunity to *Listeria monocytogenes* infection in mice is mediated by phenotypically distinct T-cell populations, 93

PACKER B.J. *see* CUFF C.F.
PAPADOGIANNAKIS N., JOHNSEN S.-A., ROSBERG S., ANDERSSON R.G. & OLDING L.B. Differential sensitivity to cAMP among human cord and maternal/adult peripheral lymphocytes discloses differences between PHA- and OKT3-induced activation pathways, 378
PAPPO J. *see* HEYWORTH M.F.
PARRONCHI P. *see* MAGGI E.
PARSONS S.F. *see* GARDNER B.
PELKONEN S. & PLUSCHKE G. Use of hybridoma immunoglobulin switch variants in the analysis of the protective properties of anti-lipopolysaccharide antibodies in *Escherichia coli* K1 infection, 260
PEREZ J.H., WIGHT D.G.D., WYATT J.I., VAN SCHAIK M., MULLOCK B.M. & LUZIO J.P. The polymeric immunoglobulin A receptor is present on hepatocytes in human liver, 474
PERUSSIA B. *see* CHEHIMI J.
PFEIL T., FISCHER A., BUJANOWSKI-WEBER J., LUTHER H., ALTMEYER P. & KÖNIG W. Effect of cytokines on spontaneous and allergen-induced CD23 expression, sCD23 release and Ig(E,G) synthesis from peripheral blood lymphocytes, 37

PFEIL T. *see* KICZA K.
PFLUMIO F. *see* JACHEZ B.
PIERRE P.G., SOLBREUX P. & VAERMAN J.P. Cholera toxin-induced fluid secretion in rat gut ligated loops: influence of bile from normal or cholera toxin-immunized rats, 319
PLUSCHKE G. *see* PELKONEN S.
POULTON T.A., GALLAGHER A. & SWANSON BECK J. Suppression of the increase in free cytosolic calcium during the inhibition of T-cell activation by an autoantibody present in the serum of leprosy patients, 353

RADL J. *see* BOERSMA W.J.A.
REBEL V.I. *see* VAN LIER R.A.W.
REEVES R. *see* SIESS D.C.
REMINGTON J.S. *see* BLACK C.M.
RHODES, J.M., BALFOUR B.M., BLOM J. & AGGER R. Comparison of antigen uptake by peritoneal macrophages and veiled cells from the thoracic duct using isotope-, -FITC- or gold-labelled antigen, 403
RICCI M. *see* MAGGI E.
ROBERTSON D. *see* BARFOOT R.
RODRIGUES H. *see* KRAAL G.
ROGERS T.J. *see* CUFF C.F.
ROMAGNANI S. *see* MAGGI E.
ROSBERG S. *see* PAPADOGIANNAKIS N.
ROSEN J. *see* OHLIN M.
ROUSE R.V. *see* SMALL M.
ROUX-LOMBARD P. *see* GRAU G.E.

SAKATO N. *see* SUGIYAMA H.
SAKUMOTO M. *see* ASENSI V.
SÁNCHEZ-MADRID F. *see* SÁNCHEZ-MATEOS P.
SÁNCHEZ-MATEOS P., CEBRIÁN M., ACEVEDO A., LÓPEZ-BOTET M., DE LANDÁZURI M.O. & SÁNCHEZ-MADRID F. Expression of a GP33/27,000 MW activation inducer molecule (AIM) on human lymphoid tissues. Induction of cell proliferation on thymocytes and B lymphocytes by anti-AIM antibodies, 72
SANDERSON A. *see* MADDY A.H.
SANDOE C.P. *see* WIRA C.R.
SCHIOGOLEV S.I. *see* TURCK C.W.
SCHUIT H.R.E. *see* LIGTHART G.J.
SCICCHITANO R. *see* WOZNIAK A.
SEELIG L.L. *see* KUMAR S.N.
SETALO J. *see* FALUS A.
SHEN L. & COLLINS J. Monocyte superoxide secretion triggered by human IgA, 491
SHIKU H. *see* MIENO M.
SIESS D.C., MAGNUSON N.S. & REEVES R. Characterization of the bovine receptor(s) for interleukin-2, 190
SILEGHEM M., DARJI A., HAMERS R. & DE BAETSELIER P. Modulation of IL-1 production and IL-1 release during experimental trypanosome infections, 137
SIMONELLI C. *see* MAGGI E.
SKJØDT H., MØLLER T. & FREIESLEBEN S.F. Human osteoblast-like cells expressing MHC class II determinants stimulate allogenic and autologous peripheral blood mononuclear cells and function as antigen-presenting cells, 416
SLAOUI M. *see* ANDRIS F.
SMALL M., VAN EWIJK W., GOWN A. M. & ROUSE R.V. Identification of subpopulations of mouse thymic epithelial cells in culture, 371
SMART C.J. *see* TREJDOSIEWICZ L.K.
SMITH S.K. *see* MADDY A.H.
SOCARRAS S. *see* WOOD P.J.
SOLBREUX P. *see* PIERRE P.G.
SPARSHOTT S.M. *see* BELL E.B.
STARR S.E. *see* CHEHIMI J.
STEINIGER B., FALK P., LOHMÜLLER M. & VAN DER MEIDE P.H. Class II MHC antigens in the rat digestive system. Normal distribution and induced expression after interferon-gamma treatment *in vivo*, 507
STEVEN W.M. *see* KUMAR S.N.
STEWART G.L. *see* KUMAR S.N.
STIEKEMA F.E.M. *see* VAN DER POUW KRAAN T.T.M.
STREILEIN J.W. *see* WOOD P.J.
STUART E.S. & MACDONALD A.B. Some characteristics of a secreted chlamydial antigen recognized by IgG from *C. trachomatis* patient sera, 469
SUGIYAMA H., MINAMI Y., KOMORI T., SAKATO N. & KISHIMOTO S. Infrequent utilization of the immunoglobulin heavy chain variable region(s) identical or closely related to that of MOPC315 myeloma protein in the functional V region formation in B-precursor cell lines, 453
SUZUKI H. *see* KAMITANI T.
SUZUKI Y. *see* BLACK C.M.
SWANSON BECK J. *see* POULTON T.A.
SZAKAL A.K. *see* KOSCO M.H.

TADA N. *see* MIENO M.
TAKAHAMA Y. *see* ISHIHARA K.
TAKEDA T. *see* HANADA K.
TAMURA N. *see* ITO S.
TANUMA Y., OHI H. & HATANO M. Monoclonal anti-human C3d antibodies: stabilization of the alternative pathway C3 convertase, 445
TARKOWSKI A. *see* CARLSTEN H.
TEUNISSEN M.B.M. *see* VAN DER POUW KRAAN T.T.M.
TEW J.G. *see* KOSCO M.H.
THORPE S.C., MURDOCH R.D. & KEMENY D.M. The effect of the castor bean toxin, ricin, on rat IgE and IgG responses, 307
TIRI A. *see* MAGGI E.
TIZARD M.L.V. *see* CHAN W.-L.
TOKUNAGA T. *see* NISHIMURA K.
TREJDOSIEWICZ L.K., SMART C.J., OAKES D.J., HOWDLE P.D., MALIZIA G., CAMPANA D. & BOYLSTON A.W. Expression of T-cell receptors TcR1 (γ/δ) and TcR2 (α/β) in the human intestinal mucosa, 7
TRINCHIERI G. *see* CHEHIMI J.
TSUBOYAMA T. *see* HANADA K.
TURCK C.W., KENNEDY P.W., SCHIOGOLEV S.I. & GOETZL E.J. Diverse responses of human fibroblasts to a highly purified fibroblast-activating factor from the U937 line of human monocytes, 410

UDONO H. *see* MIENO M.
UEDA K. *see* YAMAMOTO S.
URBAIN J. *see* ANDRIS F.
UREN S. *see* NASH A.D.

VAERMAN J.P., BUTS J.P. & LESCOAT G. Ontogeny of secretory component in rat liver, 295
Vaerman J.P. *see* PIERRE P.G.
VAN DER MEIDE P.H. *see* STEINIGER B.
VAN DER POUW KRAAN T.T.M., STIEKEMA F.E.M., TEUNISSEN M.B.M., BOS J.D. & KAPSENBERG L. The selective antigen-presenting cell capacity of activated B lymphocytes in HLA-II-restricted responses of $CD4^+$ T lymphocytes, 147
VAN EWIJK W. *see* SMALL M.
VAN LIER R.A.W., BROUWER M., REBEL V.I., VAN NOESEL C.J.M. & AARDEN L.A. Immobilized anti-CD3 monoclonal antibodies induce accessory cell-independent lymphokine production, proliferation and helper activity in human T lymphocytes, 45
VAN LOVEREN H. *see* GARSSEN J.
VAN MECHELEN M. *see* ANDRIS F.
VAN NOESEL C.J.M. *see* VAN LIER R.A.W.
VAN ROOIJEN N. *see* KRAAL G.
VAN SCHAIK M. *see* PEREZ J.H.
VARGA Z. *see* FALUS A.
VASSALLI P. *see* KIMOTO M.

WADHWA M. *see* LIMB G.A.
WAGENAAR S.S. *see* GARSSEN J.
WAHREN B. *see* OHLIN M.
WALCZ E. *see* FALUS A.
WALKER W.A. *see* KLEINMAN R.E.
WALLISER P., BENZIE C.R. & KAY J.E. Inhibition of murine B-lymphocyte proliferation by the novel immunosuppressive drug FK-506, 434
WASHINGTON E.A. *see* KIMPTON W.G.
WATANABE K. *see* ISHII N.
WHITING C.V. *see* BLAND P.W.
WIGHT D.G.D. *see* PEREZ J.H.

WIRA C.R. & SANDOE C.P. Effect of uterine immunization and oestradiol on specific IgA and IgG antibodies in uterine, vaginal and salivary secretions, 24
WIRTH J.J., FRAKER P.J. & KIERSZENBAUM F. Zinc requirement for macrophage function: effect of zinc deficiency on uptake and killing of a protozoan parasite, 114
WOLSTENCROFT R.A. *see* LIMB G.A.
WOOD P.J., SOCARRAS S. & STREILEIN J.W. Ontogeny of cytotoxic T-cell repertoire modification, 503
WOODROOFE M.N., HAYES G.M. & CUZNER M.L. Fc receptor density, MHC antigen expression and superoxide production are increased in interferon-gamma-treated microglia isolated from adult rat brain, 421
WOOLLEY J. *see* LIMB G.A.
WOZNIAK A., MCLENNAN G., BETTS W.H., MURPHY G.A. & SCICCHITANO R. Activation of human neutrophils on substance P: effect on FMLP-stimulated oxidative and arachidonic acid metabolism and on antibody-dependent cell-mediated cytotoxicity, 359
WRIGHT D.H. *see* HARVEY J.
WYATT J.I. *see* PEREZ J.H.

YAMAGUCHI M. *see* ISHIHARA K.
YAMAMOTO S., IWAI H. & UEDA K. Adoptive immunity to *Mycobacterium bovis* strain bacillus Calmette–Guérin by long-term cultured T-cell line in nude mice, 253
YANG M.-C.W., MILLER N.W., CLEM L.W. & BUTTKE T.M. Unsaturated fatty acids inhibit IL-2 production in thymus-dependent antibody responses *in vitro*, 181
YANO S. *see* KAMITANI T.
YUKAWA T., KROEGEL C., EVANS P., FUKUDA T., CHUNG K.F. & BARNES P.J. Density heterogeneity of eosinophil leucocytes: induction of hypodense eosinophils by platelet-activating factor, 140

ZAUDERER M. *see* MOYNIHAN J.
ZWART A. *see* GARSSEN J.

Subject Index

AIM (activation molecule):
  expression non-human lymphoid tissues, 72
Anaphylaxis, intestinal:
  uptake and characterization of bystander protein, 464
Anti-CD3 antibody, immobilized:
  T-cell stimulation, 45
Anti-idiotype induction of anti-FMDV antibody, 265
Anti-oxidants:
  inhibition of T-cell responses, 384
Antibody-forming cell induction in germinal centres, 312
Antigen presentation:
  by osteoblast-like, class II-positive cells, 416
Antigen processing:
  by eneterocytes, 497
Antigen uptake:
  by peritoneal macrophages and veiled cells, 403
Antigen-presenting B cells:
  in HLA-II-restricted responses of $CD4^+$ T cells, 147
Autoantibodies:
  to glycolipids on thymocytes in NZB mice, 215
Autoantibody, in leprosy patient's serum:
  suppresive effects, 353
Autocrine regulation:
  of dihydroxycholecalciferol in myelomonocytic cells, 247
Autoreactive T-cell response:
  to testing activated B cells, 199

B-cell activation:
  inhibition through increased cAMP, 154
B-cell chronic lymphocytic leukaemia:
  role of cell maturation in generation of phenotypic heterogeneity, 346
B-cell regulation:
  via surface IgM and accessory molecules, 526
B-lymphocyte proliferation:
  inhibition by FK-506, 434
Bile, effect on cholera toxin action, 319
Bone marrow cells:
  subset migrating to thymus, defined by antibody, 59
Boophilus microplus:
  immunity to, induced by membrane antigens, 272

C3 convertase:
  alternative pathway, stabilization, 445
C4A, C4B expression in rheumatoid synovial cells, monocytoid cells and hepatoma lines, 133
Castor bean toxin:
  effect on IgE and IgG responses, 307
CD4 molecules:
  in T-cell activation, 1
CD23 expression and release:
  from lymphocytes from atopic donors, 532
Chlamydial antigen:
  characteristics of, 469
Cholera toxin, action in gut:
  effect of bile, 319
Class II antigen, in rat digestive system:
  effect of IFN-γ on distribution and expression, 507
Complement:
  membrane inhibitor, murine, 439
CTL blocking by anti-Ly 35.1 antibody, 431
Cyclic AMP, differential sensitivity to:
  of human cord and adult peripheral lymphocytes, 378
Cyclosporin A:
  effect on prothymocyte development, 564
Cytokine, serum:
  changes in systemic vasculitis, 196
Cytokines:
  effects on CD23 expression, sCD23 release and Ig synthesis, 37
Cytokines:
  release during IL-2 generation of LAK, 514
Cytotoxic T cell:
  ontogeny of repertoire, 503

Decay-accelerating factor:
  effect on assembly of C3 convertases, 449
Delayed-type hypersensitivity-like responses in mouse lung:
  regulation of, 51
15-deoxyspergualin:
  mechanism of action, suppressive effect on cytotoxic T cells, 66
Dendritic macrophages, from peripheral lymph:
  properties, 233

Enterocytes, rat:
  antigen processing by, 497
Eosinophils, hypodense:
  activation by PAF, 140

Fibroblast-activating factor:
  responses of human fibroblasts to, 410

Giardia muris trophozoites:
  monoclonal antibodies to, 341

Heavy chain V regions:
  utilization in B-precursor cell lines, 453
Herpes viruses, glycoprotein B:
  T-cell responses to, 96
HLA-DR^+ cells:
  subsets, in human peripheral blood, 486
Human anti-HIV monoclonals:
  characterization, 325
Human Ig subclasses:
  recognition of conformational changes in IgG3, 427

IgE synthesis, IL-4 dependent:
  role of complementary signals, 300
Igh allotype:
  control of immune complex hypersensitivity to HBsAg, 458
IL-1 and IL-2:
  during trypanosome infections, 137
IL-2 production:
  inhibition by unsaturated fatty acides, 181
IL-2 receptors:
  bovine, characterization, 190
IL-2, IL-3 production, in contact sensitivity:
  inhibited by antigen, 185
IL-2:
  triggering of thymocyte function, 175
IL-3 production:
  by $L3T4^+$ cells, 557
IL-4 dependent IgE synthesis:
  role of complementary signals, 300
IL-8:
  production by human dermal fibroblasts, 31

Immunoglobulin A:
triggering of superoxide secretion, 491
INF-γ:
role in immunologically mediated intestinal damage in murine graft-versus-host reaction, 18
Interferon-gamma:
induction of adherence of lymphocytes to HEV, 221
Intestinal γ/δ and α/β T cells, 7

Lactation:
transfer of immunity during, 87
LAK cells:
induced by IL-2 administration, 520
LCA expression:
on T cells in normal and inflamed gut, 13
Leukotriene B4:
uptake, binding and metabolism by human neutrophils, 479
Lipo-oxygenase products:
effect of sodium fluoride on generation of, 240
Liposomal mediators:
action of, 277
Listeriosis:
active and memory immunity, 93
Ly 6-like molecule:
sheep, 580
Lymphocyte migration in the spleen:
effect of elimination of macrophages, 227
Lymphocyte recirculation:
in fetal sheep, 575
Lymphoid cell transfers, between C57/BL/6 mice differing at the lpr and nu locus, 169
Lymphokine-activated killer cells:
cytokine release, 514

Macrophage function:
requirement for zinc, 114
Macrophages, human:
cultured on agar but not agarose resemble mast cells, 120
Mannose, mannose derivatives:
effect on clearance of IgG-coated erythroctyes, 126
Microglia, IFN-γ-treated:
FcR diversity, MHC expression and superoxide production, 421
Monoclonal antibodies:
specific for placental macrophages, 332
Monoclonal antibody, human, to HIV, 325
MRL/lpr mice:
treatment with anti-B220 antibody, 204

NK cells and ageing, 396
Nude mice:
origin of T cells, 547
Null T cells, in pig blood:
not NK cells, 392

Osteoblast-like cells, expressing class II MHC:
antigen presentation, 416

Peyer's patches:
lymphocyte subsets, 365
Platelet-activating factor:
induces hypodense eosinophils, 140
Polymeric IgA recptor:
on human hepatocytes, 474

Secretory component:
ontogeny, 295
Sex hormones:
effects on immune responses, 209
Short-lived SAM mice:
abnormality in *in vitro* helper cell activity, 540
Sialoglycoprotein α:
epitopes on, 283
Substance P:
activation of human neutrophils, 359
Suppressor B cells:
Candida induced, 80
Suppressor T cells:
restricted to I-E antibodies, 163
Switch variants:
in the analysis of protective properties of anti-LPS, 260

T cells, origin:
in reconstituted nude mice, 547
T-cell activation:
role of CD4 molecules, 1
T-cell lines:
protection of nude mice from BCG, 253
T-cell response to glycoprotein B of human herpes virus, 96
T-cell responses:
inhibition by anti-oxidants, 384
T-cell stimulation:
by immobilized anti-CD3 antibody, 45
Thymic epithelial cells, mouse:
subpopulations, 371
Tumour necrosis factor recombinant:
effect on acute infection in mice with *T. gondii* or *T. cruzi*, 540

Uterin immunization and oestradiol on specific IgA and IgG in secretions, 24

Veiled dendritic cells:
expression of IL-2 receptor, 108
Veiled dendritic cells:
modulation of phenotype, survival and function, 102

Zinc requirement:
for macrophage functions, 114